

## **Features**

- High module conversion efficiency, through superior manufacturing technology
- Anodized aluminum is mainly for improving corrosion resistance
- Highly transparent, low-iron, tempered glass
- Excellent performance under low light environments

# **Benefits**

- 25-year warranty on power output; 5-year warranty on materials and workmanship
- Product liability insurance
- Local technical support
- Local warehousing
- 48 hour-response service
- Enhanced design for easy installation and long term reliability

www.etsolar.com







#### **ELECTRICAL SPECIFICATIONS**





Model type	ET-M536100
Peak power (Pmax)	100W
Cell Efficiency	17.78%
Module Efficiency	15.23%
Maximum power voltage (Vmp)	18.48V
Maximum power current (Imp)	5.41A
Open circuit voltage (Voc)	22.25V
Short circuit current (Isc)	5.72A
Maximum system voltage	DC 1000V
Normal OperatingCell Temperature	44.4±2°C
Power Tolerance	-3 to +3%
Series fuse rating (A)	10A
Number of bypass diode	3


## MECHANICAL SPECIFICATIONS


Cell type	125mm x 125mm	
Number of cells	36 cells in a series	
Weight	8.23 kg (18.14lbs)	
Dimensions	1205×545×35mm (47.44×21.46×1.38inch)	
Max Load	2400Pascals (50 lb/ft <sup>2</sup> )	

#### TEMPERATURE COEFFICIENT

Temp. Coeff. of Isc (TK Isc)	0.042 %/℃
Temp. Coeff. of Voc (TK Voc)	-0.336 %/℃
Temp. Coeff. of Pmax (TK Pmax)	-0.47 %/℃


## PHYSICAL CHARACTERISTICS Unit: mm (inch)






# **ELECTRICAL CHARACTERISTICS**


Electrical performance (cell temperature: 25°C)



Temperature dependence of Isc, Voc and Pmax



Irradiance dependence of Isc, Voc and Pmax (cell temperature: 25°C)



Note: the specifications are obtained under the Standard Test Conditions (STCs): 1000 W/m² solar irradiance, 1.5 Air Mass, and cell temperature of 25 °C.

The NOCT is obtained under the Test Conditions: 800 W/m², 20 °C ambient temperature, 1 m/s wind speed, AM 1.5 spectrum.

Please contact support@etsolar.com for technical support. The parameters are for reference only, and are subject to change without notice or obligation.